



Human dignity and having high quality of

Palliative Care

Living well with a serious illness

Palliative care is all about the quality





Healing Hands

Overview

Introduction:

- Accessing Physiotherapy in Palliative Care
- Allied Health & Rehabilitation in Palliative Care
- Criticizing PT service
- Pts vs OTs

Rationale for Physiotherapy in Palliative

Care

- Patient Needs and Our Role as a PT
- Communication
- Common symptoms & PT Management







Accessing Physiotherapy in Palliative Care





patientife disease

idiagnosis

idiagnosis

patientife disease

idiagnosis

idiagn



Palliative Care



- A practice discipline
 - Palliative care ⇔ 'terminal care' (initially).
 - Involves progressive and life-limiting and irreversible illness
 - Cancer,
 - Chronic obstructive pulmonary disease,
 - Motor neuron disease [MND]: stroke
 - Multiple sclerosis,
 - Dementia
 - Multi-system failure

• \



Each of which can benefit from the involvement in physiotherapy.



Palliative Care



Improves quality of life (QoL)

- Patients with a life-limiting illness,
- Their families

The scope has recently broadened

- The concept of 'rehabilitation' in palliative care is becoming more widespread.
- Pain relief
- The control of symptoms
- Depending on the stage of the illness.

Providing

- Pain relief
- Management of distressing symptoms
- Management of debilitating symptoms
- Helping integrate the psychological, social and spiritual aspects of holistic care
- Facilitating improved function

Palliative Physical Therapy





Palliative Care



- Vital because of the rise in the number of elderly people
 - Especially those who have little home support
- Access to palliative care appropriate to current individual needs
 - All patients
 - Regardless of their diagnosis
 - Guarantee of the same level of care



To allow this to happen an

Integrated Approach to Palliative Care is required.



Palliative Care Types



General palliative care

- An integral part of the routine care
- Delivered by all health and social care professional to patients living with lifelimiting illnesses,
- Whether at home, in a care home or in hospital.

Specialist palliative care (i.e. palliative care rehabilitation)

- Based on general palliative care
- Help patients with more complex palliative care needs
- Focuses on complex care needs
- Provided by a specially trained multi-disciplinary team (MDT)
- Can be accessed in any care setting





'Quality Statement and Definition of Specialist Palliative Care'




National Institute for Health and Care Excellence (NICE)

"Specialist Palliative Care encompasses hospice care as well as a range of other specialist advice, support and care such as that provided by hospital palliative care teams.

Specialist palliative care should be available on the basis of need and not diagnosis, offered in a timely way appropriate to their needs and preferences, at any time of day or night".







Physiotherapy in Palliative Care:

The Need for Learning and Development in This Area





Allied Health & Rehabilitation in Palliative Care



Palliative care rehabilitation (PCR)

- Well established
- Meeting patients' physical, psychological, social and spiritual needs
- Fits the adopted bio-psycho-social approach to health care
 - Suggested by the World Health Organization (WHO)

Involving

- Symptom management
- Treatment effect minimization



Features

- An essential service within health care
- Must be utilized where appropriate,
- Results in improving and maintaining patients' and their families' QoL.



Allied Health & Rehabilitation in Palliative Care



- Physiotherapy (PT) aim
 - Maximize movement and function essential for optimal wellbeing
- The target population
 - Any one threatened by ageing, injury or disease
 - Though in its preliminary stages
- Early appropriate referral to palliative care rehabilitation
 - Critical for optimal and patient-centred care.
 - Higher-functioning patients
 - Vast capability and variability of rehabilitation on a preliminary level
 - Evidences of potential benefits of palliative care physiotherapy
 - Evident lack of palliative care patients receiving physiotherapy treatment



Target Disorders



- Cardiac problems: talk test during activities
- Respiratory problems: consider specific postural drainage cautions
- Diabetes: sensory impairments
- Renal and hepatic disorders
- Cerebro-vascular Accidents
- Multiple Sclerosis
- Spinal Cord Injuries
- Traumatic Brain Injuries
- Alzheimer' Disease
- Cancers: facilitate lymphatic drainage



How Much Time It Takes for Rehabilitation



It depends upon

- The grade and site of injury
 - Usually a life-time approach
- Patient general health status
 - Smokers
 - Elderly
 - Systemic complications (diabetes, hypertension, thyroid dysfunctions
- Patient previous level of activity
 - Athletes recover faster but the rehabilitation for athletes takes longer time so that their sport skills improved properly for champions
 - Sedentary people take more time to progress in motor function



Dr. Zahra Sadat Rezaeian, PT, PhD.



Difference between PT and OT



PTs are certified

- In application of all electrotherapy equipments
- To work in ICU, CCU and other hospital departments and wards where ever any patient needs
 - Chest PT
 - Ambulation
 - Wound healing facilitation
 - Joint deformity prevention
 - Emboli prevention
- For pre-operative physical interventions to make patient ready for surgery
- For working with patients suffering from burn, rheumatologic disorders, visceral movement disorders and any patient who needs or passed a surgery
- For working with any inflammatory, non inflammatory, traumatic, geriatric induced condition in neuro-musculoskeletal System

OTs are not certified

- In application of all electrotherapy equipments
- To work in ICU, CCU and other hospital departments and wards where ever any patient needs
 - Chest PT
 - Ambulation
 - Wound healing facilitation
 - Joint deformity prevention
 - Emboli prevention
- For pre-operative physical interventions to make patient ready for surgery
- For working with patients suffering from burn, rheumatologic disorders, visceral movement disorders and any patient who needs or passed a surgery before being ready for skilled tasks training by PT
- OTs are certified to make patients ready to return to work and recreational activities when PT interventions are not critical any more or is going to vanished gradually.





Rationale for PT in Palliative Care



Patient Needs and Our Role as a PT



- The needs of a patient in palliative care often include:
 - To remain as independent as possible/maximize independence and daily function.
 - To optimize and maintain quality of life (QoL) determined by physical functioning and psychological symptoms
 - Reduction/control of the consequences of the illness
 - Coping mechanisms and self-management to be in more control of their lives.
 - To avoid secondary complications associated with life-limiting illnesses.
 - Psychological support
- Bio-psychosocial model ⇒ effective/ appropriate communication



Patient Needs and Our Role as a PT



- The PT must consider the patient's needs and wishes, along with their physical needs
 - Address patients' needs and priorities
 - Individualized different needs depending on how well they are handling their life-limiting illness.
 - Successful treatment
- Patients may need education
 - How to cope and handle the situation as best they can,
 - Lessen the fear and anxiety they rounding their condition
 - Worry and anxiety: two common psychological aspects associated with life-limiting illnesses.
 - The entire MDT, including the PT may be involved in the control of some of these symptoms, through education,
 - Maybe even just empathy towards the patient.
 - Depression often when diagnosed with such illnesses: regularly result in the individual becoming bed bound and inactive.



Common Symptoms & PT Management



Palliative care goal: improve the QoL in patients faced with life-limiting illnesses.


symptom control and maintenance of function become crucial aspects of treatment





Common Symptoms & PT Management





Role in pain management and relief of other distressing symptoms



Rationale for PT in Palliative Care

Common Symptoms & PT Management



- PT addresses the whole needs of the individual:
 - Primarily the physical components of rehabilitation.
 - A psychological aspect with life-limiting illnesses (like cancer)
- Many forms of treatment by PTs in the management of patients in palliative care.
 - What option best suits each patient
 - Quite personal decision
 - Depends on the stage of the disease process and goals set.

Goals

- Largely dependent on the stage the patient is at.
- Goal shift with disease progress

Palliative Physical Therapy

- Life prolongation: a goal in early stage of illness
- Optimizing QoL: as the illness progresses





Rationale for PT in Palliative Care

PT's Goals



- The primary goal of PT in palliative care
 - To achieve the best possible QoL for both the patient and their families.
- Other common goals of PT in the treatment of a cancer patient in palliative care:
 - Minimize symptoms
 - Optimize functioning ability
 - Maintain or regain physical independence
 - Preserve the patients autonomy
- Goals and plans are highly dependent on the stage of the disease.
 - The focus and goal of 'traditional' cancer rehabilitation are different to those of a terminally ill patient where there is a focus on maintaining a balance between optimal functioning levels and comfort.



Common Symptoms & PT Management



- Plans: different treatments are suitable for the various phases of illnesses
 - Pain relief: TENS, heat, massage, lymphedema treatment and acupuncture
 - Passive movements: often in bed bound patients/active patients in case
 - Physical exercise:
 - A positive effect on depression
 - Currently emerging as a major aspect in palliative care
 - Soft tissue massage and/or therapeutic massage:
 - To relieve muscle tension
 - Often aid in easing the symptoms of anxiety.





Palliative Physical Therapy

Common Symptoms & PT Management



Different treatments suitable for the various phases of illnes Bedridden

Treatment	Early Palliative Phase	Late Palliative Phase
Pain Relief	V	٧
Physical Activity	V	
Soft Tissue/Therapeutic Massage	٧	٧
Passive Movement	Para la	V:
Relaxation Exercise	(V	and the same of th
Positioning (rest and comfort)	Para la companya di managana d	V
Advice (family and relatives)	٧	٧
Postural Exercise	٧	٧
Breathing Improvement	٧	٧
Visceral complications management	٧	٧
Strengthening, endurance and flexibility maintenance	٧	٧



PT's Role in Family and Carer Education





Inter-connected benefits of family/carer involvement in PT treatment



Rationale for PT in Palliative Care

Physical Activity and Exercise



- What patients are able and willing to participate in physical activity and those who are not.
- Assessment of the needs, interests and preferences of patients prior to developing physical activity interventions (major importance)

Fatigue and the reduction in physical functioning in life-limiting illnesses

• A significant factor in the reduced QoL often seen in these patient groups

PCR:

- Gaining more and more attention in the literature today.
- Difficult to predict, however, which patients will actually benefit from this 'rehabilitation'
- How long these benefits will be sustained for

In cancer patients

- Physical activity ⇒ decline in physical functioning and cancer-related fatigue (CRF).
- Most studies: physical activity and palliative care in early phases of illnesses such as cancer.
- Limited studies focused on the 'end-of-life' phase

Palliative Physical Therapy

- A review: encouraging results of physical activity interventions and the ability of patients to tolerate this physical activity.
- Need for more feasible studies









- 1. World Health Organization. New guide on palliative care services for people living with advanced cancer. 2007. Full version: http://www.who.int/mediacentre/news/notes/2007/np31/en/ (accessed 28 Oct 2013).
- 2. 2.0 2.1 2.2 2.3 2.4 2.5 NHS Choices. Accessing palliative care. 2012. Full version: http://www.nhs.uk/CarersDirect/guide/bereavement/Pages/Accessingpalliativecare.aspx (accessed 30 Oct 2013).
- 3. 3.0 3.1 Prevost V, Grach MC. Nutritional support and quality of life in cancer patients undergoing palliative care. European Journal of Cancer Care 2012; April 21 (5): 581-590.
- 4. 4.0 4.1 4.2 4.3 Mcilfatrick S. Assessing palliative care needs: views of patients, informal carers and healthcare professionals. Journal of Advanced Nursing 2007; 57(1) 77-86.
- 5. Higginson I, Wade A, McCarthy M. Palliative care: views of patients and their families. British Medical Journal 1990; August 301(6746): 277-281 Full version: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1663479/ (accessed 10 Oct 2013).
- 6. Scialla S, Cole R, Scialla T, Bednarz L, Scheerer J. Rehabilitation for elderly patients with cancer asthenia: making a transition to palliative care. Palliative medicine 2000:14:(2):121-127.
- 8. World Health Organization.International Classification of Functioning, Disability and Health (ICF). 2002. Full version: http://www.who.int/classifications/icf/training/icfbeginnersguide.pdf (accessed 26 Oct 2013).
- 9. 9.0 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 Cobbe S, Nugent K, Real S, Slattery S, Lynch M. A profile of hospice-at-home physiotherapy for community-dwelling palliative care patients. International Journal of Palliative Nursing 2013; 19(1): 39-45.
- 10. 10.0 10.1 Kumar SP, Jim A. Physical Therapy in Palliative Care: From Symptom Control to Quality of Life: A Critical Review. Indian Journal of Palliative Care 2010; 16(3): 138-146.



Palliative Physical Therapy



- 11. $\frac{11.0}{11.1} \frac{11.1}{11.2}$ Nelson LA, Hasson F, Kernohan WG. Exploring district nurses' reluctance to refer palliative care patients for physiotherapy. International Journal of Palliative Nursing 2012; 18(4):163-170.
- 12. \(\frac{12.0}{2.0}\) \(\frac{12.1}{2.0}\) Parliament UK.Appendix 29: Memorandum by the Chartered Society of Physiotherapy (PC 37)2004. Full version: \(\frac{12.0}{2.0}\) \(\frac{12.1}{2.0}\) Parliament UK.Appendix 29: Memorandum by the Chartered Society of Physiotherapy (PC 37)2004. Full version: \(\frac{12.0}{2.0}\) \(\frac{12.1}{2.0}\) Parliament UK.Appendix 29: Memorandum by the Chartered Society of Physiotherapy (PC 37)2004. Full version: \(\frac{12.0}{2.0}\) \(\frac{12.1}{2.0}\) Parliament UK.Appendix 29: Memorandum by the Chartered Society of Physiotherapy (PC 37)2004. Full version: \(\frac{12.0}{2.0}\) \(\frac{12.0}{2.0}
- 13. 13.0 13.1 Pitman S. Evaluating a self-directed palliative care learning package for rural aged care workers: a pilot study. International Journal of Palliative Nursing 2013; 19(6): 290-294.
- 14. National Institute for Healthand Care Excellence. Specialist Palliative Care. 2011. Full version: http://www.nice.org.uk/guidance/qualitystandards/endoflifecare/SpecialistPalliativeCare.jsp (accessed 17 Oct 2013).
- 15. Chartered Society of Physiotherapy. A flowering vacation. 2012. Full version: http://www.csp.org.uk/frontline/article/flowering-vocation(accessed 16 Oct 2013).
- 16. \(\frac{16.0}{2} \) \(\frac{16.1}{2} \) The National Council for Palliative Care. Palliative Care explained. 2012. Full version: \(\frac{http://www.ncpc.org.uk/palliative-care-explained\) (accessed 16 Oct 2013).
- 17. Scottish Partnershipfor Palliative Care. What is Palliative Care? 2012. Full version: http://www.ncpc.org.uk/scotland (accessed 16 Oct 2013).
- 18. St. Columba's Hospice. Available from: http://vimeo.com/66146378 [last accessed 26/11/13]
- 19. Enterprisescreen. St Margaret of Scotland Hospice: patient experience. Available from: http://www.youtube.com/watch?v=rxbfLi_Solc [last accessed 26/11/13]

Palliative Physical Therapy

20. 20.0 20.1 Marie Curie Cancer Care. Marie Curie Hospices. 2013. Full version: http://www.mariecurie.org.uk/en-gb/Commissioners-and-referrers/Referring-patients/Marie-Curie-Hospices/ (accessed 16 Oct 2013).





- 21. \(\frac{21.0}{21.1} \frac{21.2}{21.2} \frac{21.3}{21.4} \frac{21.5}{21.6} \) Frymark U, Hallgren L, Reisberg A. Physiotherapy in palliative care a clinical handbook.2009. Stockholm. Full version: \(\frac{http://www.stockholmssjukhem.se/Documents/SPN/Physiotherapy%20in%20palliative%20care%20-\)\(\frac{\chi_0}{20a} \frac{21.1}{21.2} \frac{21.3}{21.4} \frac{21.5}{21.5} \frac{21.6}{21.6} \) Frymark U, Hallgren L, Reisberg A. Physiotherapy in palliative care a clinical handbook.2009. Stockholm. Full version: \(\frac{http://www.stockholmssjukhem.se/Documents/SPN/Physiotherapy%20in%20palliative%20care%20-\)\(\frac{\chi_0}{20a} \frac{21.1}{21.2} \frac{21.3}{21.4} \frac{21.5}{21.5} \frac{21.6}{21.6} \) Frymark U, Hallgren L, Reisberg A. Physiotherapy in palliative care a clinical handbook.2009. Stockholm.
- 22. Robinson S. The learning needs of cancer patients. European Journal of Cancer Care 1992; 1(3): 18-20.
- 23. 23.0 23.1 23.2 23.3 23.4 Bancroft MI. Physiotherapy in cancer rehabilitation: a theoretical approach. Physiotherapy 2003; 89(12):729-733.
- 24. Martlew B. What do you let the patient tell you? Physiotherapy 1996;82(10): 558-565.

Palliative Physical Therapy

- Association of Chartered Physiotherapists in Oncology and Palliative Care. The role of physiotherapy in oncology and palliative care. 2009. Full version: http://www.acpopc.org.uk/acpopc/Young%20A5%20leaflet_Jun09%20b%20ref.pdf (accessed 16 October 2013).
- 26. Bradley SE, Frizelle D, Johnson M. Coping with Terminal Illness: The Experience of Attending Specialist Palliative Day Care. Journal of palliative medicine 2010;13(10):1211-1218.
- 27. 27.0 27.1 27.2 Santiago-Palma J, Payne R. Palliative care and rehabilitation. Cancer 2001; 92(Suppl 4): 1049-1052.
- 28. Oldervoll LM, Loge JH, Paltiel H, Asp MB, Vidvei U, Wiken AN, Hjermstad MJ, Kaasa S. The Effect of a Physical Exercise Program in Palliative Care: A Phase II Study. Journal of Pain and Symptom Management 2006; 31 (5): 421-430.
- 29. 29.0 29.1 29.2 29.3 29.4 Lowe SS, Watanabe SM, Baracos VE, Courneya KS. Associations between physical activity and quality of life in cancer patients receiving palliative care: A Pilot Survey. Journal of Pain and Symptom Management 2009; 38(5):785-796.
- Pollak KI, Childers JW, Arnold RM. Applying Motivational Interviewing Techniques to Palliative Care Communication. Journal of Palliative Medicine 2011; May 14(5): 587–592. Full version: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3089740/ (accessed 25 Oct 2013).





- 31. 31.0 31.1 31.2 Montagnini M, Lodhi M, Born W. The utilization of physical therapy in a palliative care unit. Journal of Palliative Medicine 2003; 6(1): 11-17.
- 32. Kumar SP, Jim A. Physical Therapy in Palliative Care: From Symptom Control to Quality of Life: A Critical Review. Indian Journal of Palliative Care 2010; 16(3): 138-146.
- Parliament UK.Appendix 29: Memorandum by the Chartered Society of Physiotherapy (PC 37)2004. Full version: http://www.publications.parliament.uk/pa/cm200304/cmselect/cmhealth/454/454we34.htm (accessed 29 Oct 2013).
- 34. 34.0 34.1 The Scottish Government Health Delivery Directorate Improvementand Support Team. Long term conditions collaborative: Improving care pathways. 2010. Edinburgh: Scottish Government. Full version: http://www.scotland.gov.uk/Resource/Doc/309257/0097421.pdf (accessed 17 Oct 2013).
- 35. 35.0 35.1 Chartered Society of Physiotherapy. The remains of the day. 2008. Full version: http://www.csp.org.uk/frontline/article/remains-day (accessed 16 Oct 2013).
- 36. 36.0 36.1 NHS Lothian, Palliative Care Guidelines: Pocket Edition 2010, 3rd ed. | Version 2. http://www.palliativecareguidelines.scot.nhs.uk/documents/MASTER%20Lothian%20pocket%20guide.pdf (accessed 20 Nov 2013).
- 37. NHS Lothian, Lothian Specialist Palliative Care Services Referral Form. http://www.nhslothian.scot.nhs.uk/Services/A-Z/PalliativeCare/Documents/SpecialistPalliativeCareReferralForm.pdf (accessed 20 Nov 2013).
- 38. NHS Lothian. Supportive and Palliative Care Indicators Tool (SPICTTM). 2012. Full version: http://www.palliativecareguidelines.scot.nhs.uk/documents/SPICT_Sept2012.pdffckLR(accessed 27 October 2013).
- 39. 39.1 The Scottish Government. Cancer scenarios: An aid to planning cancer services in Scotland in the next decade- Implications for palliative care, 2001; 330-335. Full version: http://www.sehd.scot.nhs.uk/publications/csatp/csatp.pdf (accessed 17 Oct 2013).
- 40. NHS Choices. End of Life Issues. 2012b. Full version: http://www.nhs.uk/Carersdirect/guide/bereavement/Pages/Accessingpalliativecare.aspx (accessed 16 Oct 2013). http://www.nhs.uk/Carersdirect/guide/bereavement/Pages/Accessingpalliativecare.aspx (accessed 16 Oct 2013). https://www.nhs.uk/Carersdirect/guide/bereavement/Pages/Accessingpalliativecare.aspx (accessed 16 Oct 2013). https://www.nhs.uk/carer

